



SKU: KCP-0475-0650-675

Printer Enclosure



KCP-0475-0650-675 Specification

| Material Information | |
|---------------------------|----------------------------|
| Grade | 304-1.4301 |
| Finish | Satin |
| Thickness (mm) | 1.5 |
| Dimensions | |
| Size (HxWxD - mm) | 475 x 650 x 675 |
| Height / Max (mm) | 475 |
| Width (mm) | 650 |
| Depth (mm) | 675 |
| Weight (kg) | 62 |
| Product Features | |
| External Hinges | 270 Degree |
| Door | Reversible |
| Lock | Pin Type |
| Ingress Protection (uk) | IP65 |
| Earth Studs | 1 Body & 1 Cover |
| Internal Draw | Extractable |
| Commodity Code | 73269098 |
| Additional Features | |
| 1 | Anti Tilt Brackets (Pair) |
| 2 | Rubber Feet x 4 |
| 3 | Internal Cable Track |
| 4 | PS mounting bracket |
| Options | |
| 1 | 316-1.4404 |
| 2 | Entry Holes |



Lasnek UK

1 President Way

Luton

Bedfordshire

England

LU2 9NR

Tel: +44 (0) 1 582 425 777

Fax: +44 (0) 1 582 425 776

Email: sales@lasnek.com

North American Facility

Lasnek

1005 N Commons Drive,

Aurora, IL 60504

Tel: 866-995-9337

Email: sales@lasnek.com