



SKU: DOL-KDRP4-400V

## Stainless Steel DOL Reversing With Isolator



## DOL-KDRP4-400V Specification

Material Information	
Grade	304 - 1.4301
Finish	Satin
Dimensions	
Size (HxWxD - mm)	180 x 285 x 150
Height (mm)	180
Width (mm)	285
Depth (mm)	150
Thickness (mm)	1.2
Weight (kg)	4.6
Additional Information	
Rating (kW)	4
Voltage Rating	400V 50HZ - 440V 60Hz
Commodity Code	73269098
Box Type	Standard
Switch Type	Eaton
Switch Gear	Stop Latch / Forward & Reverse Momentary
Switch Mounting	Switch Plate
Handle Colour	Red
Ingress Protection	IP65
Heading	Product Options
OPTION 1	Additional Cut Outs
OPTION 3	Black Handle
OPTION 4	Overload
Heading	Standards and Certification





**Lasnek UK**

*1 President Way*

*Luton*

*Bedfordshire*

*England*

*LU2 9NR*

*Tel: +44 (0) 1 582 425 777*

*Fax: +44 (0) 1 582 425 776*

*Email: [sales@lasnek.com](mailto:sales@lasnek.com)*

**North American Facility**

*Lasnek*

*1005 N Commons Drive,*

*Aurora, IL 60504*

*Tel: 866-995-9337*

*Email: [sales@lasnek.com](mailto:sales@lasnek.com)*