



SKU: DOL-KDRP5.5-400V

Stainless Steel DOL Reversing With Isolator



DOL-KDRP5.5-400V Specification

Material Information	
Grade	304 - 1.4301
Finish	Satin
Dimensions	
Size (HxWxD - mm)	180 x 285 x 150
Height (mm)	180
Width (mm)	285
Depth (mm)	150
Thickness (mm)	1.2
Weight (kg)	4.6
Additional Information	
Rating (kW)	5.5
Voltage Rating	400V 50Hz - 440V 60Hz
Commodity Code	73269098
Box Type	Standard
Switch Type	Eaton
Switch Gear	Stop Latch / Forward & Reverse Momentary
Switch Mounting	Switch Plate
Handle Colour	Red
Ingress Protection	IP65
Heading	Product Options
OPTION 1	Additional Cut Outs
OPTION 3	Black Handle
OPTION 4	Overload
Heading	Standards and Certification





Lasnek UK

1 President Way

Luton

Bedfordshire

England

LU2 9NR

Tel: +44 (0) 1 582 425 777

Fax: +44 (0) 1 582 425 776

Email: sales@lasnek.com

North American Facility

Lasnek

1005 N Commons Drive,

Aurora, IL 60504

Tel: 866-995-9337

Email: sales@lasnek.com